## **Amendments to the Claims:**

Claims 2, 10, 24, and 41 have been canceled. Claims 25-40 were previously canceled. Claims 1, 3-9, and 11-23 have been amended herein. Please note that all claims currently pending and under consideration in the referenced application are shown below. Please enter these claims as amended. This listing of claims will replace all prior versions and listings of claims in the application.

## **Listing of Claims:**

- 1. (Currently amended) A plasma reactor, comprising:

  one or more of first, second and third power generators wherein the first power generator is

  coupled to an upper electrode and the second and third power generators are coupled to a

  lower electrode coupled to each one of upper and lower electrodes; and

  a controller for configured to individually selectively activating activate the first, second and
  third power generators to a plurality of activation configurations during a corresponding
  plurality of phases of a duty cycle of a process.
  - 2. (Canceled).
- 3. (Currently amended) The plasma reactor of claim 2-1, wherein the second power generator is configured to operate at a frequency of at least three times an operational frequency of the third power generator.
- 4. (Currently amended) The plasma reactor of claim 2-1, wherein the first power generator is configured to operate at a frequency of at least greater than or equal to each of an operational frequency of the second power generator and an operational frequency of the third power generator.

- 5. (Currently amended) The plasma reactor of claim 2-1, wherein the controller is operable to place the first power generator in an inactive mode and the second and third power generators in an active mode.
- 6. (Currently amended) The plasma reactor of claim 2-1, wherein the controller is operable to place the first and third power generators in an active mode and the second power generator in an inactive mode.
- 7. (Currently amended) The plasma reactor of claim 2-1, wherein the controller is operable to place the first and second power generators in an active mode and the third power generator in an inactive mode.
- 8. (Currently amended) The plasma reactor of claim 2-1, wherein the controller is operable to place the first, second and third power generators in an active mode.
- 9. (Currently amended) The plasma reactor of claim 2-1, wherein the controller during a process is operable to configure the first, second and third power generators to a first activation configuration during a first phase thereof and to reconfigure the first, second and third power generators to a second activation configuration during a second phase thereof.

## 10. (Canceled).

- 11. (Currently amended) The plasma reactor of claim 2-1, wherein the controller is further operable to control power levels of the first, second and third power generators during the plurality of activation configurations.
- 12. (Currently amended) The plasma reactor of claim 4-1, wherein each of the first, second and third power generators is capacitively coupled to one of the upper and lower electrodes.

- 13. (Currently amended) The plasma reactor of claim +1, wherein the second power generator operates at a frequency of about 13.5 MHz to about 60 MHz.
- 14. (Currently amended) The plasma reactor of claim 1-1, wherein the first power generator operates at a frequency of about 40 MHz to about 100 MHz.
- 15. (Currently amended) The plasma reactor of claim +1, wherein the third power generator operates at a frequency of about 1 MHz to about 13.5 MHz.
- 16. (Currently amended) A plasma reactor, comprising:
  a vacuum chamber including upper and lower electrodes therein;
  one or more of first, second and third power generators wherein the first power generator is
  coupled to an upper electrode and the second and third power generators are coupled to a
  lower electrode-respectively operably coupled to each one of the upper and lower
  electrodes; and
- a controller for configured to individually selectively activating activate the first, second and third power generators to a plurality of activation configurations during a corresponding plurality of phases of a duty cycle of a process.
- 17. (Currently amended) The plasma reactor of claim 16-16, further comprising a wafer table, wherein the lower electrode is coupled to the wafer table and the upper electrode is arranged above the wafer table.
- 18. (Currently amended) The plasma reactor of claim 16-16, wherein each of the first, second and third power generators is capacitively coupled to one of the upper and lower electrodes.

- 19. (Currently amended) The plasma reactor of claim 16-16, wherein the first power generator is capacitively coupled to the upper electrode and the second and third power generators are capacitively coupled to the lower electrode.
- 20. (Currently amended) The plasma reactor of claim 19-19, wherein the second power generator is configured to operate at a frequency of at least three times a frequency of the third power generator.
- 21. (Currently amended) The plasma reactor of claim <del>20</del>-<u>20</u>, wherein the second power generator is configured to operate at a frequency of about 13.5 MHz to about 60 MHz.
- 22. (Currently amended) The plasma reactor of claim <del>20-20,</del> wherein the first power generator is configured to operate at a frequency of about 40 MHz to about 100 MHz.
- 23. (Currently amended) The plasma reactor of claim 20-20, wherein the third power generator is configured to operate at a frequency of about 1 MHz to about 13.5 MHz.
  - 24. (Canceled).

Claims 25-40 (Canceled).

41. (Canceled).